



Reference No:

Revision History:

Name	Change Date	Version	Description of Changes
Aasim Ali	14 th June 2005		Created

POS ID: UPOS124

Part of Speech Name: Subordinate Conjunction

Part of Speech String: sub_conj

Lexical Entry Template:

<word>: sub_conj, CONJ_FORM = '< logical form of word in romans>', ^ NUM = {SG,PL}.

Sample Lexical Entry:

کہ:sub_conj, CONJ_FORM = 'KAY'.

کیونکہ:sub_conj, CONJ_FORM = 'KIYONKAY'.

Description: A subordinate conjunction is used to join phrases and/or sentences.

The description of the features is following:

NUM (Number) can be: SG (singular): *Example:* لڑکی
PL (plural): *Example:* لڑکیاں
This is an optional feature. It cannot be both.

The detail of the feature values is discussed in analysis section.

Examples:

کہ، کیونکہ



Center for Research in Urdu Language Processing
National University of Computer and Emerging Sciences, Lahore Pakistan



POS Status: Active

Reference:

[1]

[2]

Related POS:

Replaces: - NULL

Reason: -

Replaced by: -

Reason: -



Center for Research in Urdu Language Processing
National University of Computer and Emerging Sciences, Lahore Pakistan



Analysis: Following is the in-depth analysis of the rule.

Analysis: Yet to be done.

Result: We decided on Analysis above.

Future Work: